

Saskatchewan Boom Lift License

Saskatchewan Boom Lift License - To operate an aerial boom lift, operators should be qualified through training that could be obtained utilizing both classroom sessions and practical training and by attaining a boom lift license. Instruction must be given with respect to the type of aerial lift that would be used on the job. A License is needed for anyone who operates or works on an aerial boom lift.

Various types of vehicle-mounted aerial devices consist of aerial ladders, extensible boom platforms, articulating boom platforms, vertical towers, and whichever combination of these types.

When utilizing a boom lift, there are several basic safety regulations which apply to all boom lifts. Safety of the worker is a top priority while they are working in the basket. The worker should at all times wear a body harness and lanyard, connecting it to the boom or basket. Never tie off to an equipment, an adjacent pole or a structure. Personnel should stand on the basket floor, and never sit or climb on the edge of the basket. The manufacturer's load limits should be followed.

Lift operators should be certified to operate an aerial lift. The manufacturer's guidebook should be kept in the lift and the operator has to be familiar with all aspects of that particular unit. Operators are responsible for making sure that safety measures are followed in the operation of the lift. Testing lift controls everyday should be performed. Set brakes and position outriggers (if they are utilized) on pads or a stable surface. If working on a slope, use wheel chocks.

Never move an aerial lift truck with an elevated boom whilst employees are within the basket. Articulating boom and extensible boom platforms made use of as personnel carriers must have accessible, plainly marked, upper controls. Except in emergency situations, lower controls must not be used to override upper controls unless permission has been given by the individual inside the lift.

Do not wear tree or pole climbers shall while working from an aerial lift.

Do not alter the insulated portion of the aerial lift.

Do inspect the booms to make sure that it is correctly cradled and the outriggers are in the stowed position before moving.

When operating a boom lift next to power lines, make sure that the lines are di-electrically tested based on local rules.